[INCH-POUND] A-A-55504/4A January 29, 2001 SUPERSEDING A-A-55504/4 November 7, 1994

COMMERCIAL ITEM DESCRIPTION

FUSEHOLDER, EXTRACTOR POST, LOW PROFILE, SNAP-IN, FRONT MOUNT, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

The complete requirements for procuring the fuseholders described herein shall consist of this document and the issue in effect of CID A-A-55504.

CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see notes).

AA55504/04-	Accommodates fuse	Rear terminal configuration
001A	3AG	Α
001B	3AG	В
001C	3AG	С
001D	3AG	D
002A	5 mm x 20 mm	Α
002B	5 mm x 20 mm	В
002C	5 mm x 20 mm	С
002D	5 mm x 20 mm	D

SALIENT CHARACTERISTICS.

<u>Interface and physical dimensions</u>. Fuseholders supplied to this CID shall be as specified herein (see figure 1).


Rear terminal configuration. The rear terminal configuration shall be as specified in A-A-55504.

Mounting hole. The mounting hole shall be as specified in figure 1.


AMSC N/A

<u>DISTRIBUTION STATEMENT A.</u> Approved for public release; distribution is unlimited.

FSC 5920



Suggested mounting holes



Inches	mm	Inches	mm
.311	7.90	.559	14.20
.469	11.90	.567	14.40
.496	12.60	.618	15.70
.504	12.80	1.126	28.60

NOTES:

- 1. Dimensions are in inches.
- 2. Tolerance is $\pm .005$ inch (0.13 mm), unless otherwise specified.

FIGURE 1. Configuration and dimensions.

NOTES.

<u>PIN</u>. The PIN should be used for Government purposes to buy commercial products to this CID. See classification information for PIN format example.

<u>Commercial products</u>. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFR's CAGE	MFR's name and address

71400 Cooper Bussmann, Incorporated

P. O. Box 14460

St. Louis, MO 63178-4460 Phone number (636) 394-2877 Facsimile number (800) 544-2570 E-mail: fusebox@buss.com

Uniform Resource Locator (URL): www.bussmann.com

<u>Part number (P/N) supersession data</u>. These CID part numbers supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the government inventory system.

TABLE II. P/N supersession data.

CID dash number	MFR's CAGE
AA55504/04-	71400
(see table I)	MFR's P/N <u>1</u> /
001A	HTB-42I
001B	HTB-44I
001C	HTB-46I
001D	HTB-48I
002A	HTB-42M
002B	HTB-44M
002C	HTB-46M
002D	HTB-48M

^{1/} The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID P/N shown.

National stock number (NSN). The following is a list of NSN's assigned which correspond to this CID. The list is for information only and may not be indicative of all possible NSN's associated with the CID. For up to date information on assigned NSN's, please contact the Defense Supply Center, Columbus, ATTN: DSCC-CSBB, Post Office Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-7625.

TABLE II. NSN's.

Dash number (see table I) AA55504/04-	NSN
001A	N/A
001B	N/A
001C	N/A
001D	5920-01-412-9162
002A	N/A
002B	N/A
002C	N/A
002D	N/A

MILITARY INTERESTS: CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Custodians:

Navy - EC Preparing Activity:

DLA-CC

Project 5920-0704